

**DETAILED ACTION**

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification:

Please add Page 22. Page 22 will recite the following:

hemostasis, the aggregation and/or the coagulation and/or the viscosity of blood, a reservoir 8 for blood, from which blood may be taken for measurement and conveyed through an aperture 7, being disposed in a housing 2. A stirring device is provided in the reservoir 8 and can be moved so that a stirrer part 11 of the stirring device mixes the blood in the reservoir 8 during the measurement and keeps it in motion.

It is particularly advantageous if the stirrer part 11, in the region of the blood supply, that is, in the reservoir 8, has no contact with the stationary surfaces of the surrounding walls or the like. By these means, it can be prevented that blood cells or other components of the blood can be damaged or squeezed. Such damage or squeezing could lead to undesirable release of substances, which could lead to a distortion of the results of the measurements.

***Telephonic Inquiries***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BOBBY RAMDHANIE whose telephone number is (571)270-3240. The examiner can normally be reached on Mon-Fri 8-5 (Alt Fri off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Walter Griffin can be reached on 571-272-1447. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/B. R./  
Examiner, Art Unit 1797

/Walter D. Griffin/  
Supervisory Patent Examiner, Art Unit 1797